

International Journal of Clinical Reports and Studies

Hussien O. KADI *

Open Access

Case Report

The Effect of Respira Inhalation on the Oxygen Saturation of a Patient's Blood (SPO2): A Case Report

Hussien O Kadi 1*, Mohamed HK 2, Taha HK 3

- ¹ Sana'a University, Faculty of Medicine and Health Sciences, Sana'a, Yemen
- ² 48 Model Hospital, Sana'a, Yemen
- ³ Hodiedah University, Faculty of Clinical Pharmacy, Hodiedah, Yemen
- *Correspondence Author: Hussien O. Kadi, Sana'a University, Faculty of Medicine and Health Sciences, Sana'a, Yemen.

Received Date: February 01, 2023 | Accepted Date: February 13, 2023 | Published Date: February 21, 2023

Citation: Hussien O Kadi, Mohamed HK, Taha HK, (2023), The Effect of Respira Inhalation on the oxygen saturation of a patient's blood (SPO2): A Case Report, *International Journal of Clinical Reports and Studies*, 2(1); **DOI:**10.31579/2835-8295/013

Copyright: © 2023, Hussien O. Kadi. This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

Abstract

Infection and the accompanying inflammation of the upper and lower respiratory tract, influenza and Covid-19, are among the deadliest diseases in human life of the world. Due to the high emergence of bacterial resistance to antibiotics, we strive to find alternatives to contribute to the treatment by using new formulation of a mixture of six essential oils in the form of a drop called it Respira drops for therapeutic approach of the upper or lower parts of the respiratory system infection, either by inhalation or sniffing, or by touching it with the body in the form of a skin patch on the head, neck, or chest. The present study suggested that natural essential oils may act as prophylactic and therapeutic agent in respiratory tract hypoxia, inflammation and bacterial and viral infection (influenza and COVID-19).

Keywords: respire; drops; hypoxemia; SPO2; COVID-19

Introduction

Essential oils (EOs) are the mixture of several volatile compounds such as mono- and sesquiterpenoids, phenylpropanoids, which contain many chemical constituents responsible for their activity. The EOs have good effects as anti-inflammatory in the treatment of inflammation. They can regulate the levels of cytokines and inhibit multiple signalling pathways that trigger responses to inflammation. Many studies reported that EOs have antimicrobial and viral activity. Also, reported that the oxygenated terpenoids in EOs, e.g. alcohols, aldehydes, esters, ketones, peroxides, and phenols lead to increase the antimicrobial action.[3] World Health Organization (WHO) reported that lower respiratory tract infections are responsible for 5% (3.1 million people) of deaths worldwide regarding both sexes. This number was 6% in the female and 5% in the male.[5] Pneumonia was responsible for 13% of causes of death among post-neonatal (1-59 month) children.[6] lower respiratory tract infections and chronic obstructive pulmonary disease (COPD) have remained the top major killers during the past decade.[6] Although WHO has a well-organized global vaccine action plan against most bacteria or viruses causing respiratory tract infections, many people suffer from influenza, pneumonia or tuberculosis and without proper treatment these diseases can kill many people worldwide. EOs may possess a preventive role in the treatment of respiratory tract infections. The application of EOs via inhalation seems to be the most effective way to cure patients, because of their volatile nature they can reach the site intended to be treated.[7] Many studies found that SpO2 levels direct correlate with respiratory tract pathology infection, and the SpO2 levels are proportional to the potency of the immune response in influenza infection as well as best indicator for evaluate the function and respiratory viral and bacterial infections. [8] Also, pneumonia and bronchitis as well as lower respiratory tract infection were found correlated with low SPO2 level. Therefore, SPO2 which is considered a good indicator of respiratory infection. [9-10] The hypothesis of new formulation of Respira drops contain mixture of six natural essential oils like peppermint, clove, ginger etc oils with different amounts for each one which was done by Prof. Dr. Hussien O. Kadi (Patent). The present study suggested that natural essential oils may effective as prophylactic and therapeutic agent in respiratory tract hypoxia, inflammation and bacterial and viral infection (influenza and COVID-19).

Case presentation

A 62-years-old Yemeni male patient volunteer for taken Respira drops inhalation three times daily for one week. Volunteer gave a written informed consent and the Ethics Committee of Yemen University; Faculty of medical Sciences approved the clinical protocol and have been performed in accordance with the ethical standards as laid down in the 1964 Declaration of Helsinki and its later amendments or comparable ethical standards. was suffering from acute pneumonia which was diagnostic by chest X-ray, blood tests and clinical signs. His C-reactive protein (CRP) was 56 mg/L, Hemoglobin (Hb) 9.5 g/L, White blood cells count (WBC) 20.000x103 /mm3, red blood cells (RBC) 3x106 /mm3 and platelets 120x103 then he had used antibiotics and his condition improved, but he was suffering from difficulty breathing and stayed on the use of oxygen at home for more than three months, and his SpO2 (peripheral oxygen saturation) measured with a

pulse Oximeter ranged between 75 to 85%, and he also suffered from an abdominal hernia, and he went for a procedure Surgery, and when the SpO2 was measured with a pulse Oximeter at 86%, the surgery was not completed as a result, so he used Respira drops by inhalation and by steam for twenty-four hours, and the next day he went to the Cairo hospital, Sana'a, Yemen and the SpO2 was measured with a pulse Oximeter 96%, and the operation was performed and he continued using Respira for two weeks three times per day and his condition improved completely.

Discussion

Many causes of hypoxemia include pneumonia, pnemothorax inflammation, bronchial asthma and infection like COVID-19 which lead to decrease the SPO2 level and may causes death [11]. Volatile oils are a mixture of several compounds [1114-]. The main ingredients are monoterpene and sesquiterpene, which have antibacterial, anti-inflammatory and antiviral effects [13]. The anti-inflammatory effect is attributed to the regulation of cyclooxygenase (COX) and the stimulation of the synthesis of nitric oxide (iNOS) and a variety of cytokines, which play an important role in the inflammatory processes [14]. It also plays a role in regulating the levels of cytokines and inhibiting the signaling pathway that causes inflammation, and because of its complex effect mechanism resulting from the different compounds it possesses. It has an excellent effect in inhibiting signaling pathways such as NF-κB, MAPK, and AKT. Many of the antigens will be recognized and defined by the corresponding T cell, B cell and Toll-like receptors, cytokines such as TNF and IL will be recognized by TNF and IL receptors, which will stimulate the inflammatory signaling pathways. Respiratory diseases associated with bacterial infection and inflammation affect many people of all ages in the world. Because of the easy access of volatile oils to the upper and lower parts of the respiratory system, and their effective effect in cases of influenza, pneumonia or tuberculosis, and their effective effect as antibacterial, antiviral, and anti-inflammatory, it is considered the easiest and fastest way in prevention and treatment [15]. The present study suggests that Respira drops act via removing inflammation and killing bacteria and viruses, if any, and thus improving the percentage of SPO2 and returning to normal within a week. Many studies were found that there is a strong relationship between infection of the respiratory system with Covid-19 and pneumonia, as the blood oxygen saturation level decreases to less than 95% a measure by pulse oximetry. Covid-19 patients who were admitted to the hospital had a low blood oxygen saturation (SPO2), as the study suggested that it is an important and good diagnostic and therapeutic indicator for patients with Covid-19 and pneumonia. The deaths of Covid-19 patients in hospitals were associated with a low level of blood oxygen saturation (SPO2) and they were under receiving oxygen [16-18]. The virucidal effect of essential oils like ginger, thymus, tea tree, lemon, camphor and peppermint oils against enveloped RNA and DNA viruses such a influenza and COVID-19 was demonstrated [19-22]. On other hand, chemical constituents of cinnamon, lemon, thyme, lavender essential oils have been demonstrated potent effective against H5N1, COVID-19 and influenza. The mechanism of action was reported to cause disintegration of nucleoprotein core(capsid), inhibit hemaglutinin and growth of virus as well as inhibit the viral redox signalling pathway [23]. The present case study shows excellent therapeutic response for Respira drops as inhalation and smile three times per day increased SPO2 level which reflect the antiinflammatory, antimicrobial and anti-viral effects (influenza and COVID-19).

Conclusion

The present case indicated that Respira drops very excellent effective in the treatment respiratory tract hypoxia associated with bacterial, inflammation and viral infections (influenza and COVID-19.

References

- J. Liu, J. Tang, Y. Zuo et al., "Stauntoside B inhibits macrophage activation by inhibiting NF-κB and ERK MAPK signalling," Pharmacological Research, vol. 111, pp. 303–315, 2016.
- K. R. Yu, U. B. Mahajan, B. S. Unger et al., "Animal models of inflammation for screening of anti-inflammatory drugs: implications for the discovery and development of phytopharmaceuticals," International Journal of Molecular Sciences, vol. 20, p. 18, 2019.
- 3. N. Abdalla, U. Shaheen, Q. M. A. Abdallah et al., "Proapoptotic activity of Achillea membranacea essential oil and its major constituent 1, 8-cineole against A2780 ovarian cancer cells," Molecules, vol. 25, p. 7, 2020.
- P. Arulselvan, M. T. Fh ard, W. S. Tan et al., "Role of antioxidants and natural products in inflammation," Oxidative Medicine and Cellular Longevity, vol. 2016, Article ID 5276130, 2016.
- 5. World Health Organization: Ten leading causes of death.
- Y. Li, W. Li, C. Fu, Y. Song, and Q. Fu, "Lonicerae japonicae flos and Lonicerae flos: a systematic review of ethnopharmacology, phytochemistry and pharmacology," Phytochemistry Reviews, vol. 19, no. 1, pp. 1–61, 2019.
- Kiichi Hirota, Taku Mayahara, Yosuke Fujii and Kenichiro Nishi Asymptomatic Hypoxemia as a Characteristic Symptom of Coronavirus Disease: A Narrative Review of Its Pathophysiology. COVID 2022, 2(1), 47-59;
- David Verhoeven, John Teijaro, and Donna L. Farber. Pulseoximetry accurately predicts lung pathology and the immune response during influenza infection. Virology. 2009 Aug 1; 390(2): 151–156.
- AT Chinawa; BF Chukwu; JM Chinawa; OC Nduagubam, and AE Aronu. Correlation between pulse oximetry and the clinical profile of children with acute lower respiratory tract infection. S Afr J Child Health 2021;15(4):198-200.
- 10. So Yeon Kim, Hyo Jin Lee, Jung Kyu Lee, Tae Yeon Park, Eun Young Heo, Deog Kyeom Kim, Hee Soon Chung and Hyun Woo Lee. Association between oxygen saturation level during bronchoscopy and post-bronchoscopy adverse events: a retrospective cohort study. Respiratory Research (2022) 23:144
- 11. H. Lv, Z. Li, Z. Xie et al., "Innovated formulation of TCM pangolin scales to develop a nova therapy of rheumatoid arthritis," Biomedicine & Pharmacotherapy, vol. 126, p. 109872, 2020.
- 12. J. Hu, S. Yuan, X. Wang et al., "Attenuation of pristimerin on TNF-α-induced endothelial inflammation," International Immunopharmacology, vol. 82, p. 106326, 2020.
- 13. H. Lei, J. Wang, L. Chen, S. Li, and C. Dai, "Comparison of Volatile Oil between the Fruits of Amomum villosum Lour. and Amomum villosum Lour. var. xanthioides T. L. Wu et Senjen Based on GC-MS and Chemometric Techniques," Molecules, vol. 24, 9 pages, 2019.
- L. M. L. Campêlo, C. Gonçalves e Sá, A. A. de Almeida et al., "Sedative, anxiolytic and antidepressant activities of Citrus limon (Burn) essential oil in mice," Pharmazie, vol. 66, no. 8, pp. 623–627, 2011.
- M. G. Miguel, "Antioxidant and anti-inflammatory activities of essential oils: a short review," Molecules, vol. 15, no. 12, pp. 9252–9287, 2010.
- Peter M. Mphekgwana, Musa E. Sono-Setati, Abdul F. Maluleke and Sogo F. Matlala. Low Oxygen Saturation of COVID-19 in Patient Case Fatalities, Limpopo Province, South Africa. J. Respir. 2022, 2(2), 77-86;

- 17. Kal, M.; Winiarczyk, M.; Mackiewicz, J.; Odrobina, D.; Cie´sla, E.; Płatkowska-Adamska, B.; Biskup, M.; Pabjan, P.; Zar¸ ebska-Michaluk, D. The Effect of Reduced Oxygen Saturation on Retinal Microvascularization in COVID-19 Patients with Bilateral Pneumonia Based on Optical Coherence Tomography Study. J. Pers. Med. 2022, 12, 1824.
- Ruff Cajanding. Oxygen use and saturation targets in patients with COVID-19: Are we giving too much or aiming too low?. Nurs Crit Care.2022;27:282–285.
- Amorati, R.; Foti, M.C.; Valgimigli, L. Antioxidant Activity of Essential Oils. J. Agric. Food Chem. 2013, 61, 10835–10847.
- Wani, A.R.; Yadav, K.; Khursheed, A.; Rather, M.A. An updated and comprehensive review of the antiviral potential of essential oils and their chemical constituents with special focus

- on their mechanism of action against various influenza and coronaviruses. Microb. Pathog. 2021, 152, 104620
- Esmaeili, Y.; Paidari, S.; Baghbaderani, S.A.; Nateghi, L.; Al-Hassan, A.A.; Ariffin, F. Essential oils as natural antimicrobial agents in postharvest treatments of fruits and vegetables: A review. J. Food Meas. Charact. 2022, 16, 507–522.
- Singh, I.; Vimanpreet, K.; Navendu, S.; Parneet, K.; Udesh, K. Essential Oils in Treatment and Management of Dental Diseases. Biointerface Res. Appl. Chem. 2021, 12, 7267–7286.
- 23. Abdul Rouf Wani , Kanchan Yadav , Aadil Khursheed and Manzoor Ahmad Rather. An updated and comprehensive review of the antiviral potential of essential oils and their chemical constituents with special focus on their mechanism of action against various influenza and coronaviruses Microbial Pathogenesis 152 (2021) 104620.

Ready to submit your research? Choose ClinicSearch and benefit from:

- > fast, convenient online submission
- > rigorous peer review by experienced research in your field
- > rapid publication on acceptance
- authors retain copyrights
- unique DOI for all articles
- > immediate, unrestricted online access

At ClinicSearch, research is always in progress.

Learn more https://clinicsearchonline.org/journals/international-journal-of-clinical-reports-and-studies



© The Author(s) 2023. **Open Access** This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit http://creativecommons.org/licenses/by/4.0/. The Creative Commons Public Domain Dedication waiver (http://creativecommons.org/publicdomain/zero/1.0/) applies to the data made available in this article, unless otherwise stated in a credit line to the data.